

PRESENTED BY



m.marcus
architectural hardware

F6 Extra^s

ESSENTIAL DEFENCE





F6 Extra^S




FINISHES as standard:

- 7= Polished Brass
- 9= Satin Nickel

Do you need a basic level of security with good master keying capability?
 F6 Extra^S is the right cylinder to manage doors which do not need high security defence but which will protect against certain external attacks thanks to additional features within the cylinder itself.
 Carries British Standard Kite mark certification TS007 1 Star and Secured by Design accreditation.
 Equipped with Sacrificial Cut and Metal Strengthening Bar for additional defence and resistance against snapping.

Approximate Master Keying capabilities are as follows:

- Simple MK and differs allows for approx. 1200 differs under a single Master Key*
- It can be possible to divide the master key system into sub groups. This reduces the number of differs available as they have to be split between the sub groups*
 **The addition of a common entrance reduces the differ capability in every case above
- Differ cylinders provided with 3 keys
- Master keyed or Keyed alike cylinders provided with 2 keys



EN1303 Classifications

Category of use	Key Strength & Cyclic Durability	Door Mass	Fire Resistance	Safety	Corrosion Resistance	Key Related Security	Attack Resistance
1	6	0	B	0	C	5	D

LEGEND TO SYMBOLS:

	ATTACK RESISTANCE
	TESTED TO EN 1303 STANDARDS
	RESISTANCE AGAINST DRILLING
	RESISTANCE AGAINST PULLING
	RESISTANCE AGAINST MANIPULATION
	ANTI-BUMP
	KITE MARK CERTIFIED TO ENHANCED SECURITY PERFORMANCE REQUIREMENTS BS EN 1303 TS007-1:2014+A2:2018 KM 544418
	SECURED BY DESIGN POLICE PREFERRED SPECIFICATION




IS82F60/A



EURO PROFILE

Finishes: ● 7= Brass
● 9= Satin Nickel



off centre Din standard Cam

F6A 6 PIN EURO PROFILE DOUBLE CYLINDERS



C	30	35	40	45	50	55	60	65	70	75
30	●		●	●	●	●	●	●		●
35		●	●	●	●	●			●	
40	●		●	●	●	●	●			
45				●	●	●				
50					●					
55						●				
60							●			
65								●		
70									●	
75										●

IS82F60/A



EURO PROFILE

Finishes: ● 7= Brass
● 9= Satin Nickel



8 Position Cam

F6A 6 PIN EURO PROFILE HALF CYLINDERS



D	30	35	40	45	50	55
10	●	●	●	●	●	●

IS82F629/A



EURO PROFILE

Finishes: ● 7= Brass
● 9= Satin Nickel



off centre Din standard Cam

F6A 6 PIN EURO PROFILE THUMBURNS

IS82F659/A



IS82F689/A



IS82F619/A



C	30	35	40	45	50	55	60	65	70	75
30	●		●	●	●	●	●		●	●
35		●	●	●	●	●			●	
40	●	●	●	●	●	●	●			
45	●	●	●	●	●	●				
50	●	●	●	●	●					
55	●	●	●	●						
60			●							
70									●	
75										●

F6A 6 PIN SCANDINAVIAN PROFILE



off centre Din
standard Cam

INTERNAL Scandinavian Profile cylinder **IS81S-51A329**
EXTERNAL Scandinavian Profile cylinder **IS81S-21A329**

RIM CYLINDER



IS8100-35009 Nickel
IS8100-3500L Brass

F6 Extra Keys

020 609.U	F6 Key Blank
020 609DK	F6 Differ Key
020609MK	F6 Plus Master Key



F6 Extra Key Identifiers



IS-8004EFSR	Red
IS-8004EFSB	Blue
IS-8004EFSY	Yellow



Security Escutcheon

IS-SSEDKC **TS007 2 STAR Security Escutcheon**
(Please note: This product cannot be used with R50 keys)

F6 Extra^S

Security Escutcheon



= **Premier Security Protection**

F6 Extra^{S³}

Security Escutcheon



= **Supreme Security Protection**



QUALITY MANAGEMENT ENVIRONMENTAL MANAGEMENT



Certificate No. FM 35735 Certificate No. EMS 572656
ISO 9001:2015 ISO 14001:2015



ISEO[®]
ULTIMATE ACCESS TECHNOLOGIES

PRESENTED BY



m.marcus
architectural hardware

M.Marcus Ltd. Unit 7, Narrowboat Way, Dudley. DY2 OXQ
Admin Tel: +44 1384 457900

Hardware Sales Tel: +44 1384 247844 Hardware Sales Fax: +44 1384 242252
Hardware Sales e-mail: sales@m-marcus.com

Electrical Sales Tel: +44 1384 247845 - Electrical Sales Fax: +44 1384 243312
Electrical Sales e-mail: electsales@m-marcus.com

Iseo Security Sales Tel: +44 1384 247833 - Iseo Sales Fax: +44 1384 253687
Iseo Sales e-mail: iseosales@m-marcus.com

Our Website: <https://www.m-marcus.com>

Follow us: @heritagebrass



We reserve the right to amend products & sizes without notice and all dimensions provided are approximate. Colours shown in this catalogue may vary slightly from actual product due to photographic and colour reproduction. All errors and omissions excepted.