

PRESENTED BY



m.marcus  
architectural hardware

# F6 ExtraS<sup>3</sup>

## 3 STAR PROTECTION





# F6 Extra S<sup>3</sup>

## INNOVATIVE MECHANISM

Thanks to the **innovative patented mechanism** of the cylinder, consisting of **sacrificial cuts** and tungsten carbide cam assembly, the **F6 Extra S3** cylinder offers assured protection for you and your valued household possessions.



TS007-1-3 STAR



The cylinder with its special design is certified by some of the most important trade certification bodies in the United Kingdom. Meeting their stringent test requirements, the **F6 Extra S3** will give you peace of mind and protection against the toughest criminal attacks.



### FINISHES as standard:

- 3= Polished Nickel
- 7= Polished Brass
- 9= Satin Nickel

### LEGEND TO SYMBOLS:

### EN1303 Classifications

- Category of Use
- Key Strength & Cyclic Durability
- Door Mass
- Fire Resistance
- Safety
- Corrosion Resistance
- Key Related Security
- Attack Resistance

1	6	0	B	0	C	5	D
---	---	---	---	---	---	---	---

- ATTACK RESISTANCE**
- TESTED TO EN1303 STANDARDS**
- RESISTANCE AGAINST DRILLING**
- RESISTANCE AGAINST PULLING**
- RESISTANCE AGAINST MANIPULATION**
- ANTI-BUMP**
- RESISTANCE AGAINST BREAKING** SACRIFICIAL BREAK SLOT
- PROPERTY/USER CARD**
- KITE MARK CERTIFIED TO ENHANCED SECURITY PERFORMANCE REQUIREMENTS**  
BS EN1303 TS007-1:2014+A2:2018 KM 544418
- SECURED BY DESIGN**  
**POLICE PREFERRED SPECIFICATION**



**AVAILABLE IN FINISHES: POLISHED NICKEL ~ BRASS ~ SATIN NICKEL**




**EURO PROFILE**

**F6 EXTRA S3  
ASYMMETRICAL VERSION**

Finishes: 3= Polished Nickel  
7= Brass  
9= Satin Nickel

Master Keying & Keyed Alike carry an additional charge



IS82F60\*\*\*\*\*J

**RETAIL PRICES  
(INC 3 KEYS PER CYLINDER)**

C	35	40	45	50
D..	●	●	●	●
35	●			
40		●		
45			●	
50				●

**ALSO AVAILABLE:**  
**REDUCED RETAIL PRICE EACH FOR ORDERS ABOVE 20 PIECES**  
M.O.Q PER LINE ORDER (INC 3 KEYS PER CYLINDER)





**EURO PROFILE**

**F6 EXTRA S3  
SYMMETRICAL VERSION**

Finishes: 3= Polished Nickel  
7= Brass  
9= Satin Nickel

Master Keying & Keyed Alike carry an additional charge



IS82F60\*\*\*\*\*DJ  
Break-Point Both Sides

**RETAIL PRICES  
(INC 3 KEYS PER CYLINDER)**

C	35	40	45
D..	●	●	●
40	●		
45	●	●	
50	●	●	●
55	●	●	●
60		●	

**ALSO AVAILABLE:**  
**REDUCED RETAIL PRICE EACH FOR ORDERS ABOVE 20 PIECES**  
M.O.Q PER LINE ORDER (INC 3 KEYS PER CYLINDER)





**EURO PROFILE**

**F6 EXTRA S3 PREASSEMBLED FOR KNOB  
ASYMMETRICAL VERSION**

Finishes: 3= Polished Nickel  
7= Brass  
9= Satin Nickel

Master Keying & Keyed Alike carry an additional charge



IS82F66\*\*\*\*\*J  
Break-Point Side D (Outside)


**RETAIL PRICES  
(INC 3 KEYS PER CYLINDER)**

C	35	40	45	50
D..	●	●	●	●
35	●			
40	●	●	●	●
45	●	●	●	●
50	●	●	●	●
55	●	●	●	

**ALSO AVAILABLE:**  
**REDUCED RETAIL PRICE EACH FOR ORDERS ABOVE 20 PIECES**  
M.O.Q PER LINE ORDER (INC 3 KEYS PER CYLINDER)

**Thumbturn Pieces must be ordered separately**  
**See page 4**

## Double Cylinder



### CODE

IS82F603535J	3*trap one side 3535 PN
IS82F6035357J	3* trap one side 3535 BR
IS82F6035359J	3* trap one side 3535 SN
IS82F6040403J	3* trap one side 4040 PN
IS82F6040407J	3* trap one side 4040 BR
IS82F6040409J	3* trap one side 4040 SN
IS82F6045453J	3* trap one side 4545 PN
IS82F6045457J	3* trap one side 4545 BR
IS82F6045459J	3* trap one side 4545 SN
IS82F6050503J	3* trap one side 5050 PN
IS82F6050507J	3* trap one side 5050 BR
IS82F6050509J	3* trap one side 5050 SN

## Double Cylinder

Offset size cut both sides




### CODE

IS82F6035403DJ	3*3540 Trap both sides PN
IS82F6035407DJ	3*3540 Trap both sides BR
IS82F6035409DJ	3*3540 Trap both sides SN
IS82F6035453DJ	3*3545 Trap both sides PN
IS82F6035457DJ	3*3545 Trap both sides BR
IS82F6035459DJ	3*3545 Trap both sides SN
IS82F6035503DJ	3*3550 Trap both sides PN
IS82F6035507DJ	3*3550 Trap both sides BR
IS82F6035509DJ	3*3550 Trap both sides SN
IS82F6035553DJ	3*3555 Trap both sides PN
IS82F6035557DJ	3*3555 Trap both sides BR
IS82F6035559DJ	3*3555 Trap both sides SN
IS82F6040453DJ	3*4045 Trap both sides PN
IS82F6040457DJ	3*4045 Trap both sides BR
IS82F6040459DJ	3*4045 Trap both sides SN
IS82F6040503DJ	3*4050 Trap both sides PN
IS82F6040507DJ	3*4050 Trap both sides BR
IS82F6040509DJ	3*4050 Trap both sides SN
IS82F6040553DJ	3*4055 Trap both sides PN
IS82F6040557DJ	3*4055 Trap both sides BR
IS82F6040559DJ	3*4055 Trap both sides SN
IS82F6040603DJ	3*4060 Trap both sides PN
IS82F6040607DJ	3*4060 Trap both sides BR
IS82F6040609DJ	3*4060 Trap both sides SN
IS82F6045503DJ	3*4550 Trap both sides PN
IS82F6045507DJ	3*4550 Trap both sides BR
IS82F6045509DJ	3*4550 Trap both sides SN
IS82F6045553DJ	3*4555 Trap both sides PN
IS82F6045557DJ	3*4555 Trap both sides BR
IS82F6045559DJ	3*4555 Trap both sides SN



## Cylinder with Turn Axle

External size side D



### CODE

IS82F6635353J	3*cyl &axel trap ext side D-3535PN
IS82F6635359J	3*cyl &axel trap ext side D-3535SN
IS82F6635357J	3*cyl &axel trap ext side D-3535BR
IS82F6635403J	3*cyl &axel trap ext side D-3540PN
IS82F6635409J	3*cyl &axel trap ext side D-3540SN
IS82F6635407J	3*cyl &axel trap ext side D-3540BR
IS82F6640353J	3*cyl &axel trap ext side D4035PN
IS82F6640359J	3*cyl &axel trap ext side D-4035SN
IS82F6640357J	3*cyl &axel trap ext side D-4035BR
IS82F6635453J	3*cyl &axel trap ext side D-3545PN
IS82F6635459J	3*cyl &axel trap ext side D-3545SN
IS82F6635457J	3*cyl &axel trap ext side D-3545BR
IS82F6640403J	3*cyl &axel trap ext side D-4040PN
IS82F6640409J	3*cyl &axel trap ext side D-4040SN
IS82F6640407J	3*cyl &axel trap ext side D-4040BR
IS82F6645353J	3*cyl &axel trap ext side D-4535PN
IS82F6645359J	3*cyl &axel trap ext side D-4535SN
IS82F6645357J	3*cyl &axel trap ext side D-4535BR
IS82F6635503J	3*cyl &axel trap ext side D-3550PN
IS82F6635509J	3*cyl &axel trap ext side D-3550SN
IS82F6635507J	3*cyl &axel trap ext side D-3550BR
IS82F6640453J	3*cyl &axel trap ext side D-4045PN
IS82F6640459J	3*cyl &axel trap ext side D-4045SN
IS82F6640457J	3*cyl &axel trap ext side D-4045BR
IS82F6645403J	3*cyl &axel trap ext side D-4540PN
IS82F6645409J	3*cyl &axel trap ext side D-4540SN
IS82F6645407J	3*cyl &axel trap ext side D-4540BR
IS82F6650353J	3*cyl &axel trap ext side D-5035PN
IS82F6650359J	3*cyl &axel trap ext side D-5035SN
IS82F6650357J	3*cyl &axel trap ext side D-5035BR
IS82F6635553J	3*cyl &axel trap ext side D-3555PN

IS82F6635559J	3*cyl &axel trap ext side D-3555SN
IS82F6635557J	3*cyl &axel trap ext side D-3555BR
IS82F6655353J	3*cyl &axel trap ext side D-5535PN
IS82F6655359J	3*cyl &axel trap ext side D-5535SN
IS82F6655357J	3*cyl &axel trap ext side D-5535BR
IS82F6640503J	3*cyl &axel trap ext side D-4050PN
IS82F6640509J	3*cyl &axel trap ext side D-4050SN
IS82F6640507J	3*cyl &axel trap ext side D-4050BR
IS82F6645453J	3*cyl &axel trap ext side D-4545PN
IS82F6645459J	3*cyl &axel trap ext side D-4545SN
IS82F6645457J	3*cyl &axel trap ext side D-4545BR
IS82F6650403J	3*cyl &axel trap ext side D-5040PN
IS82F6650409J	3*cyl &axel trap ext side D-5040SN
IS82F6650407J	3*cyl &axel trap ext side D-5040BR
IS82F6640553J	3*cyl &axel trap ext side D-4055PN
IS82F6640559J	3*cyl &axel trap ext side D-4055SN
IS82F6640557J	3*cyl &axel trap ext side D-4055BR
IS82F6645503J	3*cyl &axel trap ext side D-4550PN
IS82F6645509J	3*cyl &axel trap ext side D-4550SN
IS82F6645507J	3*cyl &axel trap ext side D-4550BR
IS82F6650453J	3*cyl &axel trap ext side D-5045PN
IS82F6650459J	3*cyl &axel trap ext side D-5045SN
IS82F6650457J	3*cyl &axel trap ext side D-5045BR
IS82F6655403J	3*cyl &axel trap ext side D-5540PN
IS82F6655409J	3*cyl &axel trap ext side D-5540SN
IS82F6655407J	3*cyl &axel trap ext side D-5540BR
IS82F6645553J	3*cyl &axel trap ext side D-4555PN
IS82F6645559J	3*cyl &axel trap ext side D-4555SN
IS82F6645557J	3*cyl &axel trap ext side D-4555BR
IS82F6650503J	3*cyl &axel trap ext side D-5050PN
IS82F6650509J	3*cyl &axel trap ext side D-5050SN
IS82F6650507J	3*cyl &axel trap ext side D-5050BR
IS82F6655453J	3*cyl &axel trap ext side D-5545PN
IS82F6655459J	3*cyl &axel trap ext side D-5545SN
IS82F6655457J	3*cyl &axel trap ext side D-5545BR

















# Thumbturn Pieces

## CODE

IS8219-TT3	POLISHED NICKEL
IS8219-TT7	POLISHED BRASS
IS8219-TT9	SATIN NICKEL
IS8229-TT3	POLISHED NICKEL
IS8229-TT7	POLISHED BRASS
IS8229-TT9	SATIN NICKEL
IS8289-TT3	POLISHED NICKEL
IS8289-TT7	POLISHED BRASS
IS8289-TT9	SATIN NICKEL
IS8259-TT3	POLISHED NICKEL
IS8259-TT7	POLISHED BRASS
IS8259-TT9	SATIN NICKEL

ALSO AVAILABLE:  
**SPECIAL RETAIL PRICE EACH FOR ORDERS ABOVE 20 PIECES**  
 M.O.Q PER LINE

POLISHED NICKEL      POLISHED BRASS      SATIN NICKEL

 <p><b>CONCAVE TURN</b></p>	 <p>IS8289-TT3</p>	 <p>IS8289-TT7</p>	 <p>IS8289-TT9</p>
 <p><b>OVAL TURN</b></p>	 <p>IS8219-TT3</p>	 <p>IS8219-TT7</p>	 <p>IS8219-TT9</p>
 <p><b>ROUND TURN</b></p>	 <p>IS8229-TT3</p>	 <p>IS8229-TT7</p>	 <p>IS8229-TT9</p>
 <p><b>FLAT TURN</b></p>	 <p>IS8259-TT3</p>	 <p>IS8259-TT7</p>	 <p>IS8259-TT9</p>

## F6 EXTRA S<sup>3</sup>

### Keys & service charges

020 609.U	Key Blank
020 609DK	Differ Key
020609MK	Master Key
IS-3STARMK	F6EX 3 S MK CHARGE
IS-3STARKA	F6EX 3 S KA CHARGE





QUALITY MANAGEMENT ENVIRONMENTAL MANAGEMENT



Certificate No. FM 35735 Certificate No. EMS 572656  
ISO 9001:2015 ISO 14001:2015





**ISEO**<sup>®</sup>  
ULTIMATE ACCESS TECHNOLOGIES

**PRESENTED BY**



m. marcus  
architectural hardware

**M. Marcus Ltd.** Unit 7, Narrowboat Way, Dudley. DY2 0XQ  
Admin Tel: +44 1384 457900

Hardware Sales Tel: +44 1384 247844 Hardware Sales Fax: +44 1384 242252  
Hardware Sales e-mail: sales@m-marcus.com

Electrical Sales Tel: +44 1384 247845 - Electrical Sales Fax: +44 1384 243312  
Electrical Sales e-mail: electsales@m-marcus.com

Iseo Security Sales Tel: +44 1384 247833 - Iseo Sales Fax: +44 1384 253687  
Iseo Sales e-mail: iseosales@m-marcus.com

Our Website: <https://www.m-marcus.com>

Follow us: @heritagebrass



We reserve the right to amend products & sizes without notice and all dimensions provided are approximate. Colours shown in this catalogue may vary slightly from actual product due to photographic and colour reproduction. All errors and omissions excepted.