


PRESENTED BY



m.marcus
architectural hardware

R700 S³ REVERSIBLE KEY **3 STAR PROTECTION**





R700 S³

INNOVATIVE MECHANISM

Thanks to the **innovative patented** (pending) **mechanism** of the cylinder, consisting of **sacrificial cuts** and tungsten carbide cam assembly, the **R700 S3** cylinder offers assured protection for you and your valued household possessions.

The cylinder with its special design is certified by some of the most important trade certification bodies in the United Kingdom. Meeting their stringent test requirements, the R700 S3 will give you peace of mind and protection against the toughest criminal attacks.



TS007-1-3 STAR



Police Preferred Specification



Lock Cylinders Diamond



FINISHES as standard:

- 3= Polished Nickel
- 7= Polished Brass
- 9= Satin Nickel

LEGEND TO SYMBOLS:



ATTACK RESISTANCE



TESTED TO EN1303 STANDARDS



RESISTANCE AGAINST DRILLING



RESISTANCE AGAINST PULLING



RESISTANCE AGAINST MANIPULATION



ANTI-BUMP



RESISTANCE AGAINST BREAKING SACRIFICIAL BREAK SLOT



PROPERTY/USER CARD



KITE MARK CERTIFIED TO ENHANCED SECURITY PERFORMANCE REQUIREMENTS

BS EN1303 TS007-1:2014+A2:2018 KM 544418



**SECURED BY DESIGN
POLICE PREFERRED SPECIFICATION**



Police Preferred Specification

EN1303 Classifications

- Category of Use
- Key Strength & Cyclic Durability
- Door Mass
- Fire Resistance
- Safety
- Corrosion Resistance
- Key Related Security
- Attack Resistance


1	6	0	B	0	C	5	D
---	---	---	---	---	---	---	---



AVAILABLE IN FINISHES: POLISHED NICKEL ~ BRASS ~ SATIN NICKEL

EURO PROFILE

Finishes: 3= Polished Nickel
7= Brass
9= Satin Nickel



**R700 S3
ASYMMETRICAL VERSION**



IS82R70*****J

(INC 3 KEYS PER CYLINDER)


C	D	35	40	45	50
35	●				
40			●		
45				●	
50					●

ALSO AVAILABLE:

REDUCED RETAIL PRICE EACH FOR ORDERS ABOVE 20 PIECES
M.O.Q PER LINE ORDER (INC 3 KEYS PER CYLINDER)

EURO PROFILE

Finishes: 3= Polished Nickel
7= Brass
9= Satin Nickel



**R700 S3
SYMMETRICAL VERSION**



IS82R70*****DJ
Break-Point Both Sides

(INC 3 KEYS PER CYLINDER)


C	D	35	40	45
40	●			
45	●		●	
50	●		●	●
55	●		●	●
60			●	

ALSO AVAILABLE:

REDUCED RETAIL PRICE EACH FOR ORDERS ABOVE 20 PIECES
M.O.Q PER LINE ORDER (INC 3 KEYS PER CYLINDER)

EURO PROFILE

Finishes: 3= Polished Nickel
7= Brass
9= Satin Nickel



**R700 S3 PREASSEMBLED FOR KNOB
ASYMMETRICAL VERSION**



IS82R76*****J
Break-Point Side D (Outside)



(INC 3 KEYS PER CYLINDER)

C	D	35	40	45	50
35	●	●	●	●	●
40	●	●	●	●	●
45	●	●	●	●	●
50	●	●	●	●	●
55	●	●	●	●	●

ALSO AVAILABLE:

REDUCED RETAIL PRICE EACH FOR ORDERS ABOVE 20 PIECES
M.O.Q PER LINE ORDER (INC 3 KEYS PER CYLINDER)

Double Cylinder





CODE

IS82R7035353J	3*trap one side 3535 PN
IS82R7035357J	3* trap one side 3535 BR
IS82R7035359J	3* trap one side 3535 SN
IS82R7040403J	3* trap one side 4040 PN
IS82R7040407J	3* trap one side 4040 BR
IS82R7040409J	3* trap one side 4040 SN
IS82R7045453J	3* trap one side 4545 PN
IS82R7045457J	3* trap one side 4545 BR
IS82R7045459J	3* trap one side 4545 SN
IS82R7050503J	3* trap one side 5050 PN
IS82R7050507J	3* trap one side 5050 BR
IS82R7050509J	3* trap one side 5050 SN

Double Cylinder

Offset size cut both sides






CODE

IS82R7035403DJ	3*3540 Trap both sides PN
IS82R7035407DJ	3*3540 Trap both sides BR
IS82R7035409DJ	3*3540 Trap both sides SN
IS82R7035453DJ	3*3545 Trap both sides PN
IS82R7035457DJ	3*3545 Trap both sides BR
IS82R7035459DJ	3*3545 Trap both sides SN
IS82R7035503DJ	3*3550 Trap both sides PN
IS82R7035507DJ	3*3550 Trap both sides BR
IS82R7035509DJ	3*3550 Trap both sides SN
IS82R7035553DJ	3*3555 Trap both sides PN
IS82R7035557DJ	3*3555 Trap both sides BR
IS82R7035559DJ	3*3555 Trap both sides SN
IS82R7040453DJ	3*4045 Trap both sides PN
IS82R7040457DJ	3*4045 Trap both sides BR
IS82R7040459DJ	3*4045 Trap both sides SN
IS82R7040503DJ	3*4050 Trap both sides PN
IS82R7040507DJ	3*4050 Trap both sides BR
IS82R7040509DJ	3*4050 Trap both sides SN
IS82R7040553DJ	3*4055 Trap both sides PN
IS82R7040557DJ	3*4055 Trap both sides BR
IS82R7040559DJ	3*4055 Trap both sides SN
IS82R7040603DJ	3*4060 Trap both sides PN
IS82R7040607DJ	3*4060 Trap both sides BR
IS82R7040609DJ	3*4060 Trap both sides SN
IS82R7045503DJ	3*4550 Trap both sides PN
IS82R7045507DJ	3*4550 Trap both sides BR
IS82R7045509DJ	3*4550 Trap both sides SN
IS82R7045553DJ	3*4555 Trap both sides PN
IS82R7045557DJ	3*4555 Trap both sides BR
IS82R7045559DJ	3*4555 Trap both sides SN



Cylinder with Turn Axle

External size side D



CODE

IS82R7635353J	3*cyl &axel trap ext side D-3535PN
IS82R7635359J	3*cyl &axel trap ext side D-3535SN
IS82R7635357J	3*cyl &axel trap ext side D-3535BR
IS82R7635403J	3*cyl &axel trap ext side D-3540PN
IS82R7635409J	3*cyl &axel trap ext side D-3540SN
IS82R7635407J	3*cyl &axel trap ext side D-3540BR
IS82R7640353J	3*cyl &axel trap ext side D4035PN
IS82R7640359J	3*cyl &axel trap ext side D-4035SN
IS82R7640357J	3*cyl &axel trap ext side D-4035BR
IS82R7635453J	3*cyl &axel trap ext side D-3545PN
IS82R7635459J	3*cyl &axel trap ext side D-3545SN
IS82R7635457J	3*cyl &axel trap ext side D-3545BR
IS82R7640403J	3*cyl &axel trap ext side D-4040PN
IS82R7640409J	3*cyl &axel trap ext side D-4040SN
IS82R7640407J	3*cyl &axel trap ext side D-4040BR
IS82R7645353J	3*cyl &axel trap ext side D-4535PN
IS82R7645359J	3*cyl &axel trap ext side D-4535SN
IS82R7645357J	3*cyl &axel trap ext side D-4535BR
IS82R7635503J	3*cyl &axel trap ext side D-3550PN
IS82R7635509J	3*cyl &axel trap ext side D-3550SN
IS82R7635507J	3*cyl &axel trap ext side D-3550BR
IS82R7640453J	3*cyl &axel trap ext side D-4045PN
IS82R7640459J	3*cyl &axel trap ext side D-4045SN
IS82R7640457J	3*cyl &axel trap ext side D-4045BR
IS82R7645403J	3*cyl &axel trap ext side D-4540PN
IS82R7645409J	3*cyl &axel trap ext side D-4540SN
IS82R7645407J	3*cyl &axel trap ext side D-4540BR
IS82R7650353J	3*cyl &axel trap ext side D-5035PN
IS82R7650359J	3*cyl &axel trap ext side D-5035SN
IS82R7650357J	3*cyl &axel trap ext side D-5035BR
IS82R7635553J	3*cyl &axel trap ext side D-3555PN

IS82R7635559J	3*cyl &axel trap ext side D-3555SN
IS82R7635557J	3*cyl &axel trap ext side D-3555BR
IS82R7655353J	3*cyl &axel trap ext side D-5535PN
IS82R7655359J	3*cyl &axel trap ext side D-5535SN
IS82R7655357J	3*cyl &axel trap ext side D-5535BR
IS82R7640503J	3*cyl &axel trap ext side D-4050PN
IS82R7640509J	3*cyl &axel trap ext side D-4050SN
IS82R7640507J	3*cyl &axel trap ext side D-4050BR
IS82R7645453J	3*cyl &axel trap ext side D-4545PN
IS82R7645459J	3*cyl &axel trap ext side D-4545SN
IS82R7645457J	3*cyl &axel trap ext side D-4545BR
IS82R7650403J	3*cyl &axel trap ext side D-5040PN
IS82R7650409J	3*cyl &axel trap ext side D-5040SN
IS82R7650407J	3*cyl &axel trap ext side D-5040BR
IS82R7640553J	3*cyl &axel trap ext side D-4055PN
IS82R7640559J	3*cyl &axel trap ext side D-4055SN
IS82R7640557J	3*cyl &axel trap ext side D-4055BR
IS82R7645503J	3*cyl &axel trap ext side D-4550PN
IS82R7645509J	3*cyl &axel trap ext side D-4550SN
IS82R7645507J	3*cyl &axel trap ext side D-4550BR
IS82R7650453J	3*cyl &axel trap ext side D-5045PN
IS82R7650459J	3*cyl &axel trap ext side D-5045SN
IS82R7650457J	3*cyl &axel trap ext side D-5045BR
IS82R7655403J	3*cyl &axel trap ext side D-5540PN
IS82R7655409J	3*cyl &axel trap ext side D-5540SN
IS82R7655407J	3*cyl &axel trap ext side D-5540BR
IS82R7645553J	3*cyl &axel trap ext side D-4555PN
IS82R7645559J	3*cyl &axel trap ext side D-4555SN
IS82R7645557J	3*cyl &axel trap ext side D-4555BR
IS82R7650503J	3*cyl &axel trap ext side D-5050PN
IS82R7650509J	3*cyl &axel trap ext side D-5050SN
IS82R7650507J	3*cyl &axel trap ext side D-5050BR
IS82R7655453J	3*cyl &axel trap ext side D-5545PN
IS82R7655459J	3*cyl &axel trap ext side D-5545SN
IS82R7655457J	3*cyl &axel trap ext side D-5545BR

Thumbturn Pieces

ALSO AVAILABLE:

SPECIAL RETAIL PRICE EACH FOR ORDERS ABOVE 20 PIECES
M.O.Q PER LINE

CODE

IS8219-TT3	POLISHED NICKEL
IS8219-TT7	POLISHED BRASS
IS8219-TT9	SATIN NICKEL
IS8229-TT3	POLISHED NICKEL
IS8229-TT7	POLISHED BRASS
IS8229-TT9	SATIN NICKEL
IS8289-TT3	POLISHED NICKEL
IS8289-TT7	POLISHED BRASS
IS8289-TT9	SATIN NICKEL
IS8259-TT3	POLISHED NICKEL
IS8259-TT7	POLISHED BRASS
IS8259-TT9	SATIN NICKEL

POLISHED NICKEL

POLISHED BRASS

SATIN NICKEL



CONCAVE TURN




IS8289-TT3



IS8289-TT7



IS8289-TT9



OVAL TURN



IS8219-TT3



IS8219-TT7



IS8219-TT9



ROUND TURN



IS8229-TT3



IS8229-TT7



IS8229-TT9



FLAT TURN



IS8259-TT3



IS8259-TT7



IS8259-TT9

R700 S³ Keys & service charges

IS020919.2U	R700 S3 Key Blank
IS020919.2 DK	R700 S3 Differ Key
IS020919.2 MK	R700 S3 Master Key
IS-3STARR7KA	R700 S3 KA CHARGE
IS-3STARR7MK	R700 S3 MK CHARGE



QUALITY MANAGEMENT ENVIRONMENTAL MANAGEMENT



Certificate No. FM 35735 Certificate No. EMS 572656
ISO 9001:2015 ISO 14001:2015



ISEO[®]
ULTIMATE ACCESS TECHNOLOGIES

PRESENTED BY



m.marcus
architectural hardware

M.Marcus Ltd. Unit 7, Narrowboat Way, Dudley. DY2 OXQ
Admin Tel: +44 1384 457900

Hardware Sales Tel: +44 1384 247844 Hardware Sales Fax: +44 1384 242252
Hardware Sales e-mail: sales@m-marcus.com

Electrical Sales Tel: +44 1384 247845 - Electrical Sales Fax: +44 1384 243312
Electrical Sales e-mail: electsales@m-marcus.com

Iseo Security Sales Tel: +44 1384 247833 - Iseo Sales Fax: +44 1384 253687
Iseo Sales e-mail: iseosales@m-marcus.com

Our Website: <https://www.m-marcus.com>

Follow us: @heritagebrass



We reserve the right to amend products & sizes without notice and all dimensions provided are approximate. Colours shown in this catalogue may vary slightly from actual product due to photographic and colour reproduction. All errors and omissions excepted.