

Windows » Doors » Conservatories » Glass » Fabricators » Distributors » Installers

December 2024 » Issue 277

www.clearview-uk.com

Clearview



REHAU
RIO FLUSH FIT

- Highest BSI ratings
- PAS 24 security accredited
- Exceptional noise reduction
- Chamfered or sculptured frames
- 70mm profile depth
- Thermal performance 1.3 W/m²K

020 8500 4900
chigwellwindowcentre.co.uk
sales@chigwellgroup.co.uk

NATIONWIDE DELIVERY



MANUFACTURED
IN THE UK



Chigwell
WINDOW CENTRE PLC
PART OF THE CHIGWELL GROUP PLC



TWO NEW CYLINDER PLATFORMS

The innovative R700 S3 Reversible and F6 S3 Vertical TS007 3 Star cylinders.

Introducing the reversible key R700 S3 by ISEO


The ISEO R700 S3 is a high quality, Italian manufactured, high-security cylinder lock designed for residential and commercial applications.

The R700 S3 uses a reversible key design, which enhances key strength and maintains a high level of protection against unauthorised access.

The cylinder includes multiple encryption pins, anti-pick counterpins, and drilling protection made from hardened steel. Its main feature is the patented cylinder blocking trap mechanism. On snapping the product is automatically locks the internal mechanism thus preventing forced entry.

Certified to BS TS007 3-star standard as well as Sold Secured Diamond, the R700 S3 is suitable for various settings, including homes, schools, and small businesses. It can be installed in fire doors and is available in different size configurations, double euro (offsets available) and a wide range of euro thumbturn cylinders complete the range.

Additionally, the product is available in three finishes Brass, Satin and Polished Nickel and come with a choice of four thumbturn designs available for selection by the customer. For further details please



R700 S3

contact M.Marcus ISEO sales team on 01384 457900 Option 3.

Introducing the vertical F6 S3 by ISEO

The ISEO F6 S3 is a high-security cylinder lock designed specifically for the UK market, ideal for residential and small business applications.

Certified to meet high security standards, including the BSI Kitemark and Sold Secure Diamond, ensuring robust protection against unauthorised access.




It includes sacrificial cuts that allow the cylinder to break at predetermined points during an attack, maintaining functionality from the inside even if compromised from the outside. This feature increases resistance to snapping.

The cylinder is suitable for installation on fire doors and comes in various configurations, euro double and thumbturn including keyed different and keyed alike versions.

The patented Tungsten Carbide Cam Assembly and includes an internal trap which activates on breakage, locking the cam assembly in place. This mechanism not only secures the lock but also ensures it remains operable from the inside, even after an external attack.

Still a family business in Italy, ISEO products are renowned for their high-quality materials and robust construction, ensuring long-term reliability and security.

For further details or for any enquiries please contact the M.Marcus Security sales office: 01384 457900 www.m-marcus.com



F6 S3

ISEO[®] Aries Smart Intelligent Access Control

Aries handleset offers security and convenience without the need for cables. Aries combined with Argo App is the ideal solution for hotel, offices, apartments and commercial developments.

Aries is available with BS EN179 and BS EN1125 compliant versions when fitted with Iseo panic hardware / lockcases.

Argo from Remote

The new generation of door lock smart devices featuring Bluetooth Smart 5.0, also called Bluetooth Low Energy 5.0 or BLE 5.0, combined with the Smart Gateway allows Argo from Remote: the Argo functionalities are operational at anytime from anywhere in the world. State of the art BLE 5.0 technology enables the door lock simultaneous multiple connections: for example, while one member of your family is opening with the smartphone, the locks can connect to the a Smart Gateway and you can manage the door lock from remote, adding users or reading events.

- Operates with Iseo cards or existing Mifare cards
- Up to 300 users (cards or phones)
- Stores the last 1000 events
- Battery life up to 50,000 openings with battery low warning signal
- Passage function (office mode) without extra battery consumption
- Remote opening via Bluetooth Smart Phones up 10 meters
- Multi-functional contactless RFID readers ISO14443/A and ISO14443/B - 13,56 MHz
- Wake up by RFID card detection (patented) or Real Time Clock
- Battery charge status
- Handle movement detection
- Emergency mechanical key detection
- Narrow profile (38 mm)
- IP55 version for external door installation



presented by



m.marcus
architectural hardware

M. Marcus Limited
Unit 7, Narrowboat Way,
Dudley, West Midlands,
DY2 0XQ

Tel: 01384 457900

Fax: 01384 253687

Web: www.m-marcus.com

Email: iseosales@m-marcus.com

